

RECEIVED
CENTRAL FAX CENTER
AUG 13 2008

AMENDED CLAIMS

What is claimed is:

Claims 1 - 4 (canceled).

Claims 5 - 18 (canceled).

Claims 19 - 36 (canceled).

37. (Currently amended) The An eyewear system of claim 35 comprising at least one rotator wherein rotator comprised of a turning member; said eyewear system further comprising at one memory member.

Claims 38 - 56 (canceled).

57. (currently amended) The A configurable eyewear system of claim 46 comprising at least one containment structure and at least one lens, at least one lens rotatable within said containment structure, said eyewear system further comprising at least one rotator, said at least one lens being rotatable at least by said rotator; said eyewear system further comprising at least one memory member, wherein said eyewear system is in a group of headwear consisting of welder's eyewear, motorcycle rider eyewear, safety eyewear, skydiving eyewear, airplane pilot eyewear, gas mask eyewear, hazardous materials eyewear, 3-d glasses, costumes, masks, goggles, hoods, UV tanning eyewear, racecar

driver eyewear, astronaut eyewear, sports eyewear, hoods and helmets.

58. (Previously presented) A configurable eyewear system, said eyewear system comprising at least one containment structure and at least one lens, said at least one lens being rotatable within said containment structure, said eyewear system further comprising at least one rotator, said at least one lens being rotatable at least by said rotator, said eyewear system further comprising at least one memory member, said lens being rotatable at least by said memory member.

59. (Previously presented) The configurable eyewear system of claim 58, said lens further comprising an anchor cut-out said memory member being attached to said lens at said anchor cut-out.

60. (Previously presented) The configurable eyewear system of claim 58, wherein said memory member is attachable to said lens, said memory member being able to be in a resting configuration and in at least one stretched configuration, said at least one lens having an at rest position and at least one rotated position, said at least one lens being automatically rotatable from said at least one rotated

position toward said at rest position when said memory member transforms from said at least one stretched configuration toward said resting configuration.

61. (Previously presented) The configurable eyewear system of claim 60, said eyewear system further comprising at least one latch, said at least one latch being latchable when said at least one lens is in said at least one rotated position, wherein when said at least one latch is latched, said lens is in a fixed position, and wherein said at least one lens is automatically rotatable from said fixed rotated position to said resting position when said latch is unlatched from having been latched.

62. (Previously presented) A configurable eyewear system, said eyewear system comprising at least one containment structure and at least one lens, said at least one lens being rotatable within said containment structure, said eyewear system further comprising at least one memory member, said lens being rotatable at least by said memory member.

63. (Previously presented) The configurable eyewear system of claim 62, said memory member further comprising at least one connector, said connector connecting said memory member

to said containment structure.

64. (Previously presented) The configurable eyewear system of claim 62, said memory member further comprising at least one connector, said connector connecting said memory member to said lens.

65. (Previously presented) The configurable eyewear system of claim 64, said connector comprised of gluing said memory member to said lens.

66. (Previously presented) The configurable eyewear system of claim 64, said connector comprised of molding said memory member to said lens.

67. (Previously presented) The configurable eyewear system of claim 64, said connector comprised of heat sealing said memory member to said lens.

68. (Previously presented) The configurable eyewear system of claim 64, said connector comprised of tacking said memory member to said lens.

69. (Previously presented) The configurable eyewear system of claim 64, said connector comprising an anchor insert.

70. (Previously presented) The configurable eyewear system of claim 69, said system further comprising a turning member, wherein said turning member is comprised of said

anchor insert.

71. (Previously presented) The configurable eyewear system of claim 63, said connector comprised of a wire insert.

72. (Previously presented) A memory member, said memory member being attachable to eyewear having a lens whereby said memory member is able to cause said lens to rotate.

73. (Previously presented) The memory member of claim 72, said memory member further comprising an anchor end.

74 - 78. (Canceled).

79. (Currently amended) The A configurable eyewear system, said eyewear system comprising at least one containment structure and at least one lens, said at least one lens being rotatable within said containment structure, said eyewear system further comprising one turning member, said at least one lens being rotatable at least by said turning member, said system further comprising at least one peripheral member, said turning member being attached to said peripheral member, and wherein said at least one lens further comprises a peripheral edge, said peripheral edge having at least one mating member, said at least one peripheral member having at least one mating member, said peripheral mating member engaging said peripheral edge

ating member, said eyewear system further comprising at least one memory member, wherein said peripheral member has a first end and a second end, said first end having a first projection member and said second end having a second projection member, said first and second projection members meeting when said peripheral member encircles said peripheral edge of said lens, and wherein said turning member is comprised of said first and second projection members.

80 - 87. (Canceled).